



## T80H-P1 Series

### 808nm Fiber Coupled Laser Diodes, 750mW-1500mW, MM Fiber, Multimode Beam



#### Overview

The Lasermate T80H-P1 series is a 808nm wavelength, fiber coupled laser diode module offering up to 1500mW output power through a 105um fiber. The laser is designed for use in laser pumping, medical usage, printing, heating, material processing, and marking applications.

#### Features

- 808nm laser diode
- Uncooled fiber-coupled CW module
- Multimode fiber output
- Optical output power 750mW to 1500mW
- FC/ST/SMA905 interface

#### Applications

- Laser pumping
- Medical usage
- Printing
- Heating
- Material processing
- Marking

#### Product Overview



The following table lists the available part numbers, as well as the wavelength, output power, operating current, fiber core size, and connector of each of the part numbers.

Part Number	Wavelength	Output Power	Operating Current	Fiber Core Size	Connector
T80H-P1-FC750	808nm	750mW	1250mA	105um	FC
T80H-P1-ST750	808nm	750mW	1250mA	105um	ST
T80H-P1-SMA750	808nm	750mW	1250mA	105um	SMA905
T80H-P1-FC1500	808nm	1500mW	2500mA	105um	FC
T80H-P1-ST1500	808nm	1500mW	2500mA	105um	ST
T80H-P1-SMA1500	808nm	1500mW	2500mA	105um	SMA905


## Specifications (25°C)

Optical Specifications		
CW Output Power from Fiber	750mW	1500mW
Central Wavelength	800 - 820nm	
Spectral Width	<4nm	
Wavelength Temperature Coefficient	0.3nm/°C	
Fiber Characteristics		
Fiber Core Size	105μm	
N.A.	0.22	
Fiber Length	>70cm	
Connector	FC (X=FC); ST (X=ST); SMA-905 (X=SMA)	
Electrical Characteristics		
Slope Efficiency	>0.75W/A	
Threshold Current	250mA	500mA
Operating Current	1250mA	2500mA
Operating Voltage	<2V	
Series Resistance	<0.2Ω	

## Typical Characteristics



## Mechanical Outline (unit: mm)



## Additional Notes

- The laser diodes are designated solely as OEM components for incorporation into the customer's end products. Therefore, it is the customer's responsibility to comply with the appropriate requirements of FDA 21CFR, section 1040.10 and 1040.11 for complete laser products. For the code of FDA regulations, please refer to [FDA Performance Standards for Light-Emitting Products](#) for detailed information.
- Specifications are subject to change without notice.